## **IONIZING BLOWERS**

## **Static Elimination Blowers**


Ultra-Compact Air Ionizer (Vertical Type)

## WINSTAT BF-X2ZB

The Winstat model BF-X2ZB Benchtop ionizer is a small profile, lightweight unit that removes static in a wide range of applications especially in the Electronics and Medical Device Manufacturing Process. The BF-X2ZB blower can be placed on a workbench, or it can also be used as a process tool and mounted above a conveyor line, or in a tight production area to effectively remove static charges wherever ESD material-handling problems occur.

## **MAIN FEATURES:**

- HV alarm function available for abnormal conditions
- Single-touch operation to remove louver screen and discharging needles for easy maintenance
- Airflow Fan Controller To turn up the airflow of the blower, you need to use a small
  Phillips screwdriver. This design is used to increase the longevity of the fan, avoiding the
  option of the operators to turn the speed controller continuously, which could result
  in damage.
- Low Speed (57CFM) High Speed (116CFM)
- Coverage area is Ift to 5ft away from the target
- RoHS Compliant





15	Adams Street Burlington	. MA	01803	Tel:	781,229	.7799 Fax:	781.229.4	4555

500	WINSTAT BF-X2ZB	

SPEC	CIFICATIONS				
Туре	BF-X2ZB				
Input Voltage	DC24V (AC adaptor supplied; AC100 ~ 240V)				
Capacity	10VA				
Output Voltage	AC 3,000V				
Ion Balance	±10V or less (at 300 mm; at factory shipment)				
Airflow	low speed (57 cfm) high speed (116 cfm)				
Wind Velocity	78 ~ 108 inches/sec (Straight louver at 12" center)				
	24~36 /inches/sec (Wide angle louver at 300mm center)				
Ozone Abundance	0.04 ppm or less (at 150 mm)				
Environment	0 ~ 40°C/15 ~ 65%RH (no condensation)				
Filter	Pre-Filter class				
Output Signal	MOS FET Relay No-voltage Contact Output				
Dimensions	6×7.1×2.7 mm (W×H×D) exc. protrusions				
Weight	Approx. 1.8 lbs (incl. stand)				
Noise Level	57 dB (A) at 1 m distance)				
Accessories	Instruction Manual, AC adapter, wide-angle louver,				
	output signal connecting lead, cleaning brush				
Optional Items	Discharging needle unit, filters (10-sheet set)				